-47-

SEQUENCE LISTING

(1) GENERAL INFORMATION

5 (i) APPLICANT: Allergan, Inc.

(ii) TITLE OF THE INVENTION: MODIFICATION OF CLOSTRIDIAL TOXINS FOR USE AS TRANSPORT PROTEINS

(iii) NUMBER OF SEQUENCES: 13

(iv) CORRESPONDENCE ADDRESS:

(A) ADDRESSEE: Knobbe, Martens, Olson & Bear

(B) STREET: 620 Newport Center Drive 16th Floor

(C) CITY: Newport Beach

(D) STATE: CA

(E) COUNTRY: U.S.A.

(F) ZIP: 92660

(v) COMPUTER READABLE FORM:

(A) MEDIUM TYPE: Diskette

(B) COMPUTER: IBM Compatible

(C) OPERATING SYSTEM: DOS

(D) SOFTWARE: FastSEQ Version 1.5

(vi) CURRENT APPLICATION DATA

(A) APPLICATION NUMBER:

(B) FILING DATE:(C) CLASSIFICATION:

(vii) PRIOR APPLICATION DATA:

(A) APPLICATION NUMBER: GB 9410870.1

(B) FILING DATE: 31-MAY-1994

(A) APPLICATION NUMBER: GB 9410871.9

(B) FILING DATE: 31-MAY/1994

(viii) ATTORNEY/AGENT INFORMATION:

(A) NAME: Altman, Daniel E

(B) REGISTRATION NUMBER: 34,115

(C) REFERENCE/DOCKET NUMBER: ALRGN.054QPC

(ix) TELECOMMUNICATION INFORMATION:

(A) TELEPHONE: 714-760-0404

(B) TELEFAX: 714-760-9502

(C) TELEX:

50 (2) INFORMATION FOR SEQ ID NO:1:

(i) SEQUENCE CHARACTERISTICS:

(A) LENGTH: 33 base pairs

(B) TYPE: nucleic adid

(C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: CDNA

(iii) HYPOTHETICAL: NO

SUBSTITUTE SHEET (RULE 26)

25 _30 ЦП **_35** -

10

15


20

¶

40

45

55



10

15

20

LT

40

45

50

55

□30

25

(v) FRAGMENT TYPE: (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEO ID NO:1:

GAGATGGTCG ACATGCCAAT AACCATAAAT AAT

(2) INFORMATION FOR SEQ ID NO:2:

(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 32 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single

(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA (iii) HYPOTHETICAL: NO (iv) ANTISENSE: YES (v) FRAGMENT TYPE: (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ/ID NO:2:

ACGCGAAGCT TTTATCATGC AGTTCTATTA TA

(2) INFORMATION FOR SEQ ID NO:3:

(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 30 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: singlé (D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA (iii) HYPOTHETICAL: NO (iv) ANTISENSE: YES

(v) FRAGMENT TYPE: (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:3:

TAGTACATGT ATAAGTGCGT GCATTAATAG

(2) INFORMATION FOR SEQ ID NO:4:

(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 20 base pairs (B) TYPE: nuclei/c acid (C) STRANDEDNES\$: single
(D) TOPOLOGY: linear

(ii) MOLECULE TYPE: cDNA (iii) HYPOTHETICAL: NO

(iv) ANTISENSE: NO (v) FRAGMENT TYPE: (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:4:

SUBSTITUTE SHEET (RULE 26)

33

32

30

M

Ø

45

50

55

18



-49-TTATACATGT ACTACATGGT 20 (2) INFORMATION FOR SEQ ID NO:5: 5 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 23 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 10 (ii) MOLECULE TYPE: CDNA (iii) HYPOTHETICAL: NO (iv) ANTISENSE: NO (v) FRAGMENT TYPE: 15 (vi) ORIGINAL SOURCE: (xi) SEQUENCE DESCRIPTION: SEQ ID NO: 5: AAAGGCCTTT TGTTAATAAA CAA 23 20 (2) INFORMATION FOR SEQ ID NO:6: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 26 base pairs **- 25** (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear []30 []35 (ii) MOLECULE TYPE: cDNA (iii) HYPOTHETICAL: NO (iv) ANTISENSE: YES (v) FRAGMENT TYPE: (vi) ORIGINAL SOURCE: (xi) SEQUENCE DESCRIPTION: /SEQ ID NO:6: GGAATTCTTA CTTATTGTAT CCTTTA 26 (2) INFORMATION FOR SEQ ID NO:7: 40 (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 18 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single

(ii) MOLECULE TYPE: cDNA (iii) HYPOTHETICAL: NO

GCACATCAAC TTATACAT

(iv) ANTISENSE: NO (v) FRAGMENT TYPE: (vi) ORIGINAL SOURCE:

(xi) SEQUENCE DESCRIPTION: SEQ ID NO:7:

(2) INFORMATION FOR SEQ ID NO:8:

(D) TOPOLOGY: linear

(i) SEQUENCE CHARACTERISTICS:

SUBSTITUTE SHEET (RULE 26)



5	(A) LENGTH: 18 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
10	(ii) MOLECULE TYPE: cDNA (iii) HYPOTHETICAL: NO (iv) ANTISENSE: YES (v) FRAGMENT TYPE: (vi) ORIGINAL SOURCE:	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:8:	
15	ATGTATAAGT TGATGTGC	18
	(2) INFORMATION FOR SEQ ID NO:9:	
20	(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 18 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
© ₹25 U	(ii) MOLECULE TYPE: cDNA (iii) HYPOTHETICAL: NO (iv) ANTISENSE: NO (v) FRAGMENT TYPE: (vi) ORIGINAL SOURCE:	
1 30	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:9:	
	AACTTATATA TGCTGGAC	18
ரு _35	(2) INFORMATION FOR SEQ ID NO:10:	
1 1 40	(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 18 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	
45	(ii) MOLECULE TYPE: cDNA (iii) HYPOTHETICAL: NO (iv) ANTISENSE: YES (v) FRAGMENT TYPE: (vi) ORIGINAL SOURCE:	
	(xi) SEQUENCE DESCRIPTION: SEQ ID NO:10:	
50	GTCCAGCATA TATAAGTT	18
	(2) INFORMATION FOR SEQ ID NO:11:	
55	(i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 13 amino acids (B) TYPE: amino acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear	

-50-

-51-

(ii) MOLECULE TYPE: peptide (iii) HYPOTHETICAL: NO (iv) ANTISENSE: NO (v) FRAGMENT TYPE: C-terminal 5 (vi) ORIGINAL SOURCE: (xi) SEQUENCE DESCRIPTION: SEQ ID NO:11: Cys Ala Asn Gln Arg Ala Thr Lys Met Leu Gly Ser Gly 10 (2) INFORMATION FOR SEQ ID NO:12: (i) SEQUENCE CHARACTERISTICS: 15 (A) LENGTH: 29 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear 20 (ii) MOLECULE TYPE: cDNA (iii) HYPOTHETICAL: NO (iv) ANTISENSE: NO (v) FRAGMENT TYPE: (vi) ORIGINAL SOURCE: (xi) SEQUENCE DESCRIPTION: SEQ ID NO:12: ATTTCACCAA TAACCATAAA TAATTTTAG 29 (2) INFORMATION FOR SEQ ID NO:13: (i) SEQUENCE CHARACTERISTICS: (A) LENGTH: 26 base pairs (B) TYPE: nucleic acid (C) STRANDEDNESS: single (D) TOPOLOGY: linear (ii) MOLECULE TYPE: cDNA (iii) HYPOTHETICAL: NO 40 (iv) ANTISENSE: YES (v) FRAGMENT TYPE: (vi) ORIGINAL SOURCE: (xi) SEQUENCE DESCRIPTION: SEQ ID NO:13: 45 CGGGATCCTT CTGTATCATT GTAAAT 26